

# SLPVG0064G



[www.senslights.com](http://www.senslights.com)  
[sales@senslights.com](mailto:sales@senslights.com)

*No Wiring .... No electricity!*

## Solar Garden Pole Light

### Features:

SensLights solar garden lights source chip from Senslights ,golden wire,BSOB wire bond.

Mon crystalline solar panel, we only use grade A solar.  
Die casting aluminum, electrostatic spraying for salt spray proof.

Intelligent light control and timer control. The light switch on in the evening and switch off in the morning by detecting the day and night.  
The lighting time and power is customizable.

More than 36H autonomy with lithium battery inside .100% safe. No explosion risk. Optional LiFipo battery

Easy installation. No trenching and cabling. Money saver.

Nobody does lighting quite the way SensLights does, which has championed the use of LEDs in everything from domestic bulbs to its versatile Hue smart lighting. Its solar lights are brighter than most rivals and come in various styles such as downward-facing posts, upward-facing lights and more industrial wall-mounters.

This wall light has a big solar panel on top, meaning you get more light for longer from the LED for a good six hours. It's simple to set up and has great build quality. You can also choose a version with a built-in motion sensor. Strong enough to easily see if that's an olive or a beetle in your salad.



*No Wiring .... No electricity!*

## Solar Garden Pole Light

### Technology Parameters :

**Solar Panel :** 18v 20w high efficiency ,  
**Light Source :** SensLights, LEDs 12w ,18mil

**Luminous Flux:** 1200lm ~ 1320lm

**Color Temperature :** 3500 ~7500K

**Induction Angle and Distance (beam Angle) :** 120 Degree

**Battery :** 12V 16mAh li-ion battery

Discharging time:14 ( 100% Power)

Charging time:8-9hrs (1000w/m<sup>2</sup>)

**Product Material:** 5063 Aluminum PC


**Work Temperature:** -20°C-65°C

Protect Level: IP65

**Products Size :** 515MM \* 563MM

Net weight: 6.7Kg

Diameter of Mounted lamppost: 76mm




Diameter of lamppost, 76 Unit mm




**Working time :** intelligent Light control automatic. Auto On at night and off daytime for charging. Optional PIR motion sensor for energy saving , people come closer , high light for 30s , no motion keep dim 10% until dawn . Keep work 3-5days after fully charged .



## Quality Certification Multitasking Corporation test report



Multitask Solar Panel



Intelligent Solar controller



SensLights LED Chip



Energy saving rating



Green Energy Products



Green & Eco Friendly Products



LED chip bright and Lumen testing Quality Standard



No Wiring No electricity!



Solar Powered Products

