SLDY-345C

No Wiring No electricity!





Product name: Solar Powered Garden lights

SLDY 345C

	Main Material	ANTI –UV Engineering plastics	
THE	Light color	Pure white/Warm white	
	Product Size	24.6 x36.3 mm	
	Body color	grey	
	Solar panel	6.0v, 383mA, 2.3W Mono	
	Battery	3.2v , Capacity 1500Ah x2 Li Fe battery	
	Light source	SMD LED, 0.06W 12pcs high power LED	
	Working Hours	8 to 10 hours	
	Lumen	150 – 30 Lux	
	Controller	Intelligent controller:light/time intelligent control, Auto light sensor control, Automatically on/off	

No Wiring No electricity







SLDY-345C



Protection level	IP65
Color Temperature:	2700-6500K
Charging time	4 hours
Working time	10-12hours,battery capacity providing 2-3continuous cloudy or rainy days backup
Temperature Range	-40 +80 Degree
Packing	with foamed plastic inside to protect solar panel, pole, base from scar, 5mm solid paper box


No Wiring No electricity!

100% solar powered, No wiring, Easy installation, save money, energy and human resources, Maintenance free, Easily moved to another desired location.

Advantages:

100% solar powered
No wiring, Easy installation
save money, energy and human resources
Maintenance free
Easily moved to another desired location

LiFePO₄ Rechargeable Battery Pack











S.COM

SLDY-345C

No Wiring No electricity!



1. Maintenance / Cleaning

Switch off the luminaire before maintenance and cleaning.

Repairs should only be carried out by qualified persons and using genuine spare parts. Inappropriate repairing could cause significant danger.

WARNING: The use of any accessory not specified in this manual may present a risk of personal injury.

Cleaning of solar panel in summer / winter

Changing rechargeable battery

Long-time storage (exposure to light, charge/discharge cycle)

If you need any support please contact: support@senslights.com

2. Others (Service, Repairing, Guarantee, etc ...)

-Have your product repaired by a qualified person

This electric product is in accordance with the relevant safety requirements. Repairs should only be carried out by qualified persons using original spare parts, otherwise this may result in considerable danger to the user.

- Please contact the SensLights store which you bought the product for after sale services if any. Or contact: support@senslights.com









